

# Integrated Management and Prevention of Oedema and Wasting (IMPOW)

Welcome to the IMPOW Digital Solution Documentation

This documentation provides comprehensive information about the **Integrated Management and Prevention of Oedema and Wasting (IMPOW) Digital Solution** for Malawi's Health Information System (MAHIS).

- SRS
  - MALAWI HEALTH CARE INFORMATION SYSTEM (MAHIS) IMPOW SYSTEM AND USER REQUIREMENTS DOCUMENT

SRS

# MALAWI HEALTH CARE INFORMATION SYSTEM (MAHIS) IMPOW SYSTEM AND USER REQUIREMENTS DOCUMENT

Document version: v1.0.0

Date: 24/03/2026

## VERSION HISTORY

Version	Date	Approved by	Revision Date	Description of Change	Author
v 1.0.0	24 March 2026			First version	K. Thaundi, G. Chinyama

## Introduction

# Purpose Of The Requirements Definition Document

The purpose of the IMPOW (Integrated Management and Prevention of Oedema and Wasting) requirement document is to define user functional, non-functional and technical requirements needed for the IMPOW to MAHIS transition. The contents of this system requirements definition document include the overall system description and system features.

## Scope

The main goal of this project is to manage individuals suffering from acute malnutrition during routine clinical visits in both public and private health facilities, as well as community-level screenings. This document will be reviewed annually and updated, if need be, triggering a new document version.

## Features

The IMPOW module within MAHIS will provide a more efficient way of managing acute malnutrition cases. This will be achieved by integrating the Ministry of Health Department of Nutrition clinical guidelines (IMPOW Job Aids) into the existing MAHIS platform, providing real-time decision support to providers. Below is a list of the system components:

- Community Screening & Outreach
- Patient Registration
- Triage & Anthropometrics (Vitals)
- Outpatient Therapeutic Program (OTP) Consultation
- Supplementary Feeding Program (SFP) Consultation
- Nutrition Rehabilitation Unit (NRU) Inpatient Care
- Defaulter Tracing
- Lab Ordering and Result Entry
- Therapeutic Food Dispensation
- Appointment Management
- User Management

- Data Management
- System Preferences

# User Information

## User classes

Title	Characteristics
Superuser	CRUD functions on users, system configuration
Registration/Data clerk	Register clients in the system, enter back data, generate aggregate reports
Health Surveillance Assistant (HSA)	Conduct community screening (MUAC, Oedema), trace defaulters via home visits
Nurse/Clinician/Doctor	Register clients, record vitals/anthropometry, assess oedema, perform clinical consultation (danger signs, appetite test), place lab orders, dispense therapeutic foods, manage inpatient workflows (NRU), schedule appointments
Lab technician	Get lab orders, process samples, capture results
District Nutrition Officer (In-Charge)	View IMPOW client metrics, monitor facility performance, generate DHIS2 reports

## User personas

A persona is a depiction of a relevant stakeholder of the system. In the case of IMPOW, trained lay providers (HSAs), nurses, and non-physician clinicians providing nutrition-related services are the primary personas for MAHIS.

Demographics	Goals	Pain Points	Needs from the System
<b>Personas: Clinician / Nutrition Nurse</b> Age: 25-50 Digital Literacy: Moderate Device: Tablet/Desktop	Quickly access anthropometric history. Evaluate weight gain accurately. Calculate RUTF dosing.	Time-consuming manual z-score calculations. Difficulty identifying defaulters.	Auto-calculated WFH/L z-scores. Alerts for critical weight loss. Automated therapeutic food dosing tables.

Demographics	Goals	Pain Points	Needs from the System
<b>Health Surveillance Assistant (HSA)</b> Age: 18-40 Digital Literacy: Low-Moderate Device: Mobile/Tablet	Screen children in the community quickly. Issue accurate referrals. Trace defaulted patients.	Paper slips get lost. Unclear criteria leading to wrong referrals.	Simple screening forms. Automated referral destination prompts. Defaulter lists organized by village.
<b>Data Clerk</b> Age: 18-40 Digital Literacy: High Device: Desktop	Enter large volumes of clinical data. Ensure data accuracy for DHIS2 reporting.	Transcription errors from CMAM registers. Complex paper tallying.	Fast data entry forms. Validation blocks for implausible anthropometrics. One-click aggregate report generation.
<b>Strict Nutrition Officer (I&amp;E)</b> Age: 30-55 Digital Literacy: High Device: Desktop	Monitor facility performance against Sphere Standards (Cure, Death, Default rates).	Errors from manual reports. Delays in receiving facility data.	Dashboards summarizing key indicators (Cure Rates >75%). Downloadable cohort reports.

## Permissions Matrix

Module / Feature	Superuser	Nurse/Clinician	HSA	Registration/Data Clerk	Nutrition In-Charge	Lab Tech
Login & Authentication	Full access	Full access	Limited access	Full access	Full access	Limited
User Management	Create/Edit/Delete	No access	No access	No access	No access	No access
Patient Registration	Yes	Yes	No	Yes	No	No
Community Screening (UAC)	Yes	Yes	Yes	No	No	No
itals & Anthropometr	Yes	Yes	No	Yes	No	No
inical Consultation (TP, SFP)	Yes	Yes	No	No	No	No
atient Care (RU)	Yes	Yes	No	No	No	No
ab Ordering	Yes	Yes	No	No	No	No
ab Result Entry	Yes	No	No	No	No	Yes
escribe/Dispense RUTF	Yes	Yes	No	No	No	No
Appointment Scheduling	Yes	Yes	No	Yes	Yes	No
Defaulter Tracking	Yes	Yes	Yes	No	No	No
enerate Reports (DHIS2)	Yes	No	No	Limited	Yes	No

Module / Feature	Superuser	Nurse/Clinician	HSA	Registration/Data Clerk	Nutrition In-Charge	Lab Tech
Health System Settings	Yes	No	No	No	No	No
Track Data Entry (BDE)	Yes	Yes	No	Yes	No	No

# Workflows

## 1. Community MUAC Screening Workflow

graph TD

```

Start([Community Screening Event]) --> CheckChild{Child Present<br/>Age 6-59 months?}
CheckChild -->|No| End1([End - Not Eligible])
CheckChild -->|Yes| MeasureMUAC[Measure MUAC<br/>0.1cm Precision]
MeasureMUAC --> EvaluateMUAC{Evaluate MUAC}
EvaluateMUAC -->|MUAC ≥12.5cm| ProvideEducation[Provide Nutrition<br/>Education]
EvaluateMUAC -->|MUAC 11.5-12.5cm| CreateReferralSFP[Create Referral<br/>to SFP]
EvaluateMUAC -->|MUAC <11.5cm| CheckOedema{Check for<br/>Oedema}
CheckOedema -->|No Oedema or +/+| CreateReferralOTP[Create Referral<br/>to OTP]
CheckOedema -->|Oedema +++| CreateUrgentReferralNRU[Create URGENT<br/>Referral to NRU]

```

## 2. OTP Admission Workflow

graph TD

```

Start([Patient Arrives<br/>at Facility]) --> Triage[Triage Assessment<br/>Check Danger Signs]
Triage --> CheckDangerSigns{Danger Signs?}
CheckDangerSigns -->|Yes| EmergencyProtocol[Immediate Referral<br/>to NRU]
CheckDangerSigns -->|No| Anthropometry[ANTHROPOMETRY<br/>Weight, Height, MUAC, Oedema]
Anthropometry --> CalculateIndicators[Calculate<br/>WFH/L Z-Score]
CalculateIndicators --> EvaluateAdmission{Evaluate<br/>Criteria}
EvaluateAdmission -->|Not Eligible| NotEligible[Discharge]
EvaluateAdmission -->|OTP Criteria| AppetiteTest[APPETITE TEST<br/>Offer RUTF]
AppetiteTest --> EvaluateAppetite{Appetite Test<br/>Result}
EvaluateAppetite -->|Failed| ReferNRU[Refer to NRU]
EvaluateAppetite -->|Passed| MedicalAssessment[MEDICAL ASSESSMENT<br/>Complications, HIV, Malaria]
MedicalAssessment --> DispenseRUTF[DISPENSE RUTF<br/>Weekly Ration]
DispenseRUTF --> EnrollProgram[ENROLL IN IMPOW<br/>State: Active in OTP]

```

## 3. OTP Follow-Up & Care Journey

graph TD

```
Start(["Patient Arrives<br/>for Follow-Up"]) --> CheckAppointment{"Appointment<br/>Status"}
CheckAppointment -->|Late| Late["Record Late Visit"]
CheckAppointment -->|Defaulter| Defaulter["Trigger Defaulter Tracing"]
CheckAppointment -->|On Time| Anthropometry["ANTHROPOMETRY<br/>Weight, MUAC, Oedema"]
Late --> Anthropometry
Defaulter --> Anthropometry
Anthropometry --> MeasureWait["Calculate Progress<br/>Weight Gain/MUAC Change"]
MeasureWait --> AssessRUTF["ASSESS RUTF CONSUMPTION<br/>Calculate % Consumed"]
AssessRUTF --> ClinicalAssessment["CLINICAL ASSESSMENT<br/>Danger Signs, Triggers"]
ClinicalAssessment --> CheckDangerSigns{"Danger Signs<br/>or Triggers?"}
CheckDangerSigns -->|Yes| ReferNRU["REFER TO NRU"]
CheckDangerSigns -->|No| EvaluateProgress{"Evaluate Progress"}
EvaluateProgress -->|Weight Loss / Static| Investigate["FLAG: Investigate Cause<br/>Intensive Counseling"]
EvaluateProgress -->|Good Progress| Medication["Check Medication Schedule<br/>Albendazole / Measles Vaccine"]
Investigate --> Medication
Medication --> RecalculateRUTF["RECALCULATE RUTF<br/>Weekly Ration based on Weight"]
RecalculateRUTF --> ScheduleNext["SCHEDULE NEXT VISIT<br/>+ 7 Days"]
```

## 4. NRU Admission & Inpatient Care Journey

graph TD

```
Start(["Patient Arrives<br/>at NRU"]) --> EmergencyAssessment["EMERGENCY ASSESSMENT<br/>Check Shock, Hypoglycemia"]
EmergencyAssessment --> CheckEmergency{"Life-Threatening?"}
CheckEmergency -->|Yes| EmergencyTreatment["EMERGENCY PROTOCOL"]
CheckEmergency -->|No| ClassifyAdmission["Classify Admission Type<br/>Marasmic Kwashiorkor, Infant SAM, SAM+Complications"]
EmergencyTreatment --> ClassifyAdmission
ClassifyAdmission --> DetermineFeedingPlan{"Determine Feeding Plan"}
DetermineFeedingPlan --> SelectSchedule["Select Feeding Schedule<br/>2-Hourly, 3-Hourly, 4-Hourly"]
SelectSchedule --> Prescribe["PRESCRIBE MEDICATIONS<br/>Ampicillin, Gentamicin"]
Prescribe --> FeedingPhase["START F-75 PROTOCOL<br/>Stabilization Phase"]
FeedingPhase --> DailyCare["DAILY INPATIENT CARE<br/>Assess Intake, Vomiting, Complications"]
DailyCare --> EvaluatePhase{"Evaluate Phase Transition"}
```

EvaluatePhase -->|Ready| TransitionF100["TRANSITION TO F-100<br/>Rehabilitation Phase"]  
 EvaluatePhase -->|Not Ready| Stabilize["Continue F-75"]  
 TransitionF100 --> Discharge["DISCHARGE TO OTP<br/>Once Medical Complications Resolve"]

## 5. SFP (Supplementary Feeding) Journey

graph TB

```

  Start(["Patient with MAM<br/>Arrives"]) --> Triage["ANTHROPOMETRY<br/>Confirm MUAC 11.5-12.5cm<br/>or WFH/L -3 to -2"]
  Triage --> CheckOedema{"Oedema Present?"}
  CheckOedema -->|Yes| ReferOTP["Refer to OTP/NRU"]
  CheckOedema -->|No| EnrollSFP["ENROLL IN SFP Workflow"]
  EnrollSFP --> DispenseSFP["Dispense Supplementary Food<br/>(e.g., CSB+, Plumpy'Sup)"]
  DispenseSFP --> BiWeeklyFollowUp["BI-WEEKLY FOLLOW-UP<br/>Monitor Weight Gain"]
  BiWeeklyFollowUp --> CheckDischarge{"Reached Discharge Criteria?<br/>MUAC >12.5cm for 2 visits"}
  CheckDischarge -->|Yes| Discharge["Discharge as Cured"]
  CheckDischarge -->|No| BiWeeklyFollowUp
  CheckDischarge -->|Deteriorates| ReferOTP
  
```

## Functional Requirements

### Login

#	Requirement
1	The system shall allow authorized users to log in using a valid username and password.
2	The system shall notify users on the login page when there is a network or server outage.
3	The system shall notify users about weak or expired passwords upon login.
4	The system shall display the version number on the login page.

### Activity Selection

#	Requirement
1	The system shall prompt the user to select the activities they wish to carry out (e.g., Community Screening, OTP Visit, NRU Visit, Defaulter Tracing).

#	Requirement
2	The system shall only display activities the user is authorized to perform, based on the permissions matrix.

## Service Dashboard & Module Dashboard

#	Requirement
1	The system shall prompt the user to select the workstation location (e.g., Outpatient, Inpatient NRU, Community post).
2	The dashboard shall display a chart showing therapeutic food stock levels (RUTF, F-75, F-100).
3	The dashboard shall highlight active caseload metrics (total cases in OTP, SFP, NRU) for the facility.
4	The dashboard shall display a prioritized list of defaulters pending tracing.

## Patient Search

#	Requirement
1	The system shall provide a search tool allowing users to find records by Name, Malawi National ID, MAHIS ID, or IMPOW Number.
2	The system shall automatically integrate with MAHIS core to search the global registry and prevent duplicate registrations.

## Patient Registration & Reception

#	Requirement
1	The system shall allow creation of new records with: Name, DOB, Sex, Address, Landmark, Phone.
2	The system shall explicitly record Guardian/Caregiver details (critical for malnutrition follow-ups).
3	The system shall record initial HIV status and link the patient to the HIV/ART module if positive.

## Anthropometry & Vitals

#	Requirement
1	The system shall require capturing: Weight (to 0.1kg), Height/Length (to 0.1cm), MUAC (to 0.1cm), and Bilateral Pitting Oedema Grade (None, +, ++, +++).

#	Requirement
2	The system shall auto-calculate the Weight-for-Height/Length (WFH/L) Z-score based on WHO standard reference tables dynamically.
3	The system shall classify the nutritional status (Normal, MAM, SAM) based on the inputs immediately upon data entry completion.
4	The system shall prompt for measuring method (Standing vs Lying Down) when height/length is recorded.

## Consultation & Clinical Assessment

#	Requirement
1	The system shall mandate an Appetite Test pass/fail result before completing an OTP Admission.
2	The system shall provide a checklist of IMCI Danger Signs and Medical Complications; selecting any shall strictly prompt an NRU Referral.
3	The system shall prompt for an HIV test (if status unknown) and a Malaria RDT during admission.
4	During follow-up, the system shall calculate exact weight gain velocity in g/kg/day and throw an alert (e.g., "Static Weight") if the velocity is zero or negative.

## Treatment & Dispensation

#	Requirement
1	The system shall automatically calculate the recommended RUTF dosage (in 92g packets) based on the patient's current weight.
2	The system shall allow dispensing of Amoxicillin systematically to all new OTP admissions unless contraindicated.
3	The system shall deduct dispensed therapeutic foods from the global facility inventory dynamically.
4	The system shall block prescriptions of Iron/Folic acid if the patient is classified as Severely Acutely Malnourished (SAM).

## Patient Outcomes & Defaulter Tracing

#	Requirement
1	The system shall identify patients overdue for an appointment by >14 days and mark them as "Defaulter candidates".

#	Requirement
2	The system shall provide a Defaulter Tracing electronic form for HSAs to log home visit attempts and final designated outcomes (Found, Refused, Moved Away, Died).
3	The system shall automatically evaluate Discharge Criteria (e.g., MUAC $\geq$ 12.5cm for two consecutive visits) and recommend formal discharge as "Cured".

## Integration with other MAHIS modules

#	Requirement
1	<b>HIV/ART Integration:</b> The IMPOW module shall adopt HIV/ART status from the ART module natively. It shall require Cotrimoxazole dispensing alongside Amoxicillin if the child is HIV-positive.
2	<b>ANC Integration:</b> For pregnant/lactating women in SFP, the IMPOW module shall communicate pregnancy status and EDD bi-directionally with the ANC module.
3	<b>Laboratory Integration:</b> Malaria RDTs and Hb tests requested in IMPOW shall be fulfilled via the MAHIS Laboratory module, transmitting results back electronically.
4	<b>Immunization Integration:</b> The system shall check for Measles vaccination status interacting with the EPI registry.

## Back Data Entry (BDE)

#	Requirement
1	The system shall provide a BDE toggle in the administration panel to allow manual selection of historical session dates.
2	All records captured under the BDE session shall be permanently logged with a BDE-flag for data integrity tracing.

## Reports

#	Requirement
1	The system shall generate the <b>IMPOW Monthly Reports</b> mandated by DHIS2, aggregating admissions, discharges, active caseloads, and stock balances.
2	The system shall compute automated Sphere Standard operational metrics (Cure Rate %, Death Rate %, Defaulter Rate %).

#	Requirement
3	All reports shall support export to CSV and PDF, with password protection applied conditionally if PII is included.

## Settings and Configurations

Category	Requirement
Module Activation	Allow administrators to completely enable or disable individual program tracks (e.g., SFP).
Appointment Parameters	Configure maximum OTP follow-up quotas per clinic operating day.
Defaulter Thresholds	Adjust the number of days overdue before a patient triggers the Defaulter sequence (default: 14).

## Validations

Rule ID	Description	Trigger Condition	Validation Criteria	Error Handling
VAL-001	Community Screening Referral	MUAC < 11.5cm + Oedema +++	Patient meets catastrophic IMCI criteria.	Alert: "Critical Emergency - Must Refer to NRU Immediately." Blocks OTP selection.
VAL-002	Weight Plausibility	Weight submitted	Must be between 2.0 kg and 30.0 kg for pediatric pathways.	Display: "Weight outside logical bounds. Verify scale."
VAL-003	Height Constraints	Height submitted	Must be between 45.0 cm and 150.0 cm.	Display: "Height outside expected limits."
VAL-004	Appetite Test Restriction	Failed Appetite Test	A passed test is required to remain in OTP.	Display: "Patient cannot swallow RUTF. Prompt NRU Referral generated."
VAL-005	Negative Weight Gain	Weight = current < previous	Validates clinical deterioration.	Prompt: "Confirm weight loss parameter. Investigate underlying conditions."
VAL-006	Contraindicated Drugs	User prescribes Iron / Zinc	Prevented by active SAM diagnosis.	Block: "Medication explicitly contraindicated for acute malnutrition."
VAL-007	Automated RUTF Dosing	Dispensation screen opened	Calculate <b>Weight * Factor / Packet Kcal.</b>	Recommends exact packet count. Prompts warning if overridden.

Rule ID	Description	Trigger Condition	Validation Criteria	Error Handling
VAL-008	SFP Admission Validation	WFH/L recorded	WFH/L must be strictly between -3 and -2.	Diverts admission outcome if severity implies SAM/OTP is needed instead.
VAL-009	Discharge Criteria	User initiates "Cured" Discharge	MUAC > 12.5cm and zero oedema for >14 days	Display: "Discharge criteria unmet. Minimum recovery time not satisfied."
VAL-010	Date Anomalies	Back Data Entry timestamp	Dates cannot exceed current system clock datetime.	Prevent save: "Future dates are invalid."

# Non-Functional Requirements

Category	Non-Functional Requirement
Security - Confidentiality	Provide secure, password-protected Role-Based Access Control logic for all authorized users.
Security - Audit Trails	Maintain immutable event logs for every user login/logout, data CRUD operation, and BDE intervention.
Security - Authentication	Lock users out automatically subsequent to 5 sequential invalid password combinations.
System - Offline Capability	Community screening modules must allow offline caching for HSAs in remote villages with intermittent connectivity, utilizing delayed sync.
System - Scalability	The module must comfortably support processing thousands of concurrent users scaling across 300+ Malawian health facilities natively executing within MAHIS.
Usability - Dynamic UI	Auto-calculate metrics (WFH/L, BMI, Daily Weight Gain, RUTF dosing) natively via frontend Javascript without demanding server round-trips to enhance responsiveness.
Usability - Hard Validations	Prevent nonsensical data (extreme height loss between weekly visits) from contaminating cohort health metrics using strict range delimiters.
Interoperability - DHIS2	Expose an internally accessible API strictly complying with DHIS2 dataset formatting specifications natively matching Ministry aggregate definitions.
Hardware Constraints	Render interfaces explicitly mobile-first, targeting optimized execution over constrained processor generic Android tablets.

*End of Document*